## 面板接口 COMMUNICATION INTERFACE

连接附件 Connection accessories			订货号 Part No.
Elghi T Connection accessories	Our lands		Programme.
	Gender Changer	WARRIED -	at waterboom as
	RJ45(母头 / 母头)	cURus	9145209-2
	Gender Changer		
	USB(A型)		9450903-4
	Gender Changer		
	SUB-D9(母头 / 母头)	cURus	9450903-3
	Gender Changer		
	SUB-D15(母头 / 母头)	cURus	9145415-3
	Gender Changer		
	SUB-D15 HD(母头 / 公头)VGA	cURus	9145215-3
	Gender Changer		
	SUB-D25(母头 / 母头)	cURus	9145225-3
	Gender Changer		
	DVI; ( 母头 / 母头 )		9042400-3
	电缆 Cable		
	SUB-D9 (公头/公头); 2 m	屏蔽 Shielded	909220
	SUB-D9 (公头/公头); 5 m	屏蔽 Shielded	909250
	电缆 Cable		
	SUB-D25(公头 / 公头);1.8 m	屏蔽 Shielded	925218
	SUB-D25 (公头 / 公头 ); 5 m	屏蔽 Shielded	925250
	电缆 Cable		
	USB (A型 对A型);2m(公头/公头)	屏蔽 Shielded	904220
	USB(A型对A型);5m(公头/公头)	屏蔽 Shielded	904250
	电缆 Cable		
	RJ45(8/8 – 芯)金属 Metal,CAT6;2 m	屏蔽 Shielded	945020
	RJ45(8/8 – 芯)金属 Metal, CAT6; 5 m	屏蔽 Shielded	945050
	RJ45 (8/8 – 芯 ) 金属 Metal, CAT6; 10 m	屏蔽 Shielded	945100
	nJ45 (0/0 - 心) 金属 Metal, CA16; IU M	开版 Sillelded	945100