

EtherNet/IP 远程 I/O 模块 REMOTE I/O MODULE



EtherNet/IP™
conformance tested

工业级外壳	型号 Type Part No.	EPL16DP 302102016	EPL16DI 104105016	EPL16DO 202105016	EPL16DM 305105016
锌合金压铸外壳	型号 Type Part No.	EPM16DP 302202016	EPM16DI 104205016	EPM16DO 202205016	EPM16DM 305205016
类型		16 × DI / DO, 可配置	16 DI	16 DO	8 DI/8 DO
额定工作电压 U_B		18...30 V DC	18...30 V DC	18...30 V DC	18...30 V DC
功能指示灯		SF/BF/RDY	SF/BF/RDY	SF/BF/RDY	SF/BF/RDY
端口状态指示灯		红色, 绿色	红色, 绿色	红色, 绿色	红色, 绿色
网络接口		M12, D-coded, 母头	M12, D-coded, 母头	M12, D-coded, 母头	M12, D-coded, 母头
电源接口		M12, T-Coded, 4 针	M12, T-Coded, 4 针	M12, T-Coded, 4 针	M12, T-Coded, 4 针
连接: I/O 端口		M12, A 编码, 母头	M12, A 编码, 母头	M12, A 编码, 母头	M12, A 编码, 母头
I/O 端口数目		8	8	8	8
输入数量		最多 16 个 PNP 输入	16 个 PNP 输入	/	8 个 PNP 输入
输出数量		最多 16 个 PNP 输出	/	16 个 PNP 输出	8 个 PNP 输出
输入 / 输出可配置		是	否	否	否
每通道电源电流		500 mA	500 mA	500 mA	500 mA
执行器输出电流		500 mA	/	500 mA	500 mA

远程 I/O 模块

远程 I/O 模块附件 ACCESSORIES

总线连接器 现场接线		电缆直径 Cable OD.	订货号 Part No.
	RJ45 公插, CAT 5 屏蔽插头, 可现场装配 Male, Field-Terminable Straight, 4-pole, IP20, shielded	6.5...6.9mm	999051
	RJ45 公插, CAT 5 屏蔽插头, 可现场装配 Male, Field-Terminable Straight, 4-pole, IP20, shielded	6.5...6.9mm	999061
	RJ45 公插, CAT 5 屏蔽插头, 可现场装配 Male, Field-Terminable Straight, 4-pole, IP20, shielded	6.5...6.9mm	999161
	M12 插针, 螺钉压接, I/O 接口 Female, screw terminals Straight, 4-pin	6...8mm	912701
	M12 插针, 电源接口, 螺钉压接 Female, screw terminals Straight, T-coded, 4-pin	8...10 mm	912744
	M12 插孔, 电源接口, 螺钉压接 Female, screw terminals Straight, T-coded, 4-pin	8...10 mm	912932
	7/8" 插针, 电源接口, 螺钉压接 Male, screw terminals Straight, 4-pin	8...14 mm	978101
	7/8" 插孔, 电源接口, 螺钉压接 Female, screw terminals Straight, 4-pin	8...14 mm	978221
	M12 插针, 螺钉压接 Male, screw terminals Straight, D-coded, 4-pole, shielded	6...8mm	914521
	M12 插孔, 螺钉压接 Male, screw terminals Straight, D-coded, 4-pole, shielded	6...8mm	914621
	M12 插针, 螺钉压接 Male, screw terminals Angled, D-coded, 4-pole, shielded	6...8mm	914581
	M12 转 RJ45 适配器, M12/RJ45, CAT 5, female to female Angled, D-coded, 4-pole		9450120002
	M12-2M12, Y 型连接器, Female, flange Y type connector, 4-pole		941121

远程 I/O 模块附件 ACCESSORIES

总线连接器 预铸线		针脚 Pole	电缆 Cable	订货号 Part No.
	插针, 通讯单端预制电缆 Female, flange Straight, 4-pole		固定安装 拖链抗扭	914541-790-xxxx 914541-796-xxxx
	M12 插针转插针, 通讯双端预制电缆 Male, flange Straight, M12-M12, 4-pole		固定安装 拖链抗扭	944511-790-xxxx 944511-796-xxxx
	M12 插针转 RJ45, 通讯双端预制电缆 Female, flange Straight, M12-RJ45, 4-pole		固定安装 拖链抗扭	944711-790-xxxx 944711-796-xxxx
	M12 插针, 电源预制电缆 Male, flange Straight, T-coded, 4-pole		屏蔽、固定安装 屏蔽、拖链抗扭 非屏蔽、固定安装	913044-902-xxxx 913044-901-xxxx 912044-960-xxxx
	M12 插孔, 电源预制电缆 Female, flange Straight, T-coded, 4-pole		屏蔽、固定安装 屏蔽、拖链抗扭 非屏蔽、固定安装	913344-902-xxxx 913344-901-xxxx 912344-960-xxxx
	M12 插针转 M12 插孔, 电源双端预制电缆 Female, flange Straight, M12 Male T coded-M12 Female T-coded, 4-pole		屏蔽、固定安装 屏蔽、拖链抗扭 非屏蔽、固定安装	943044-902-xxxx 943044-901-xxxx 942044-960-xxxx
	7/8" 插孔, 电源预制电缆 Female, flange Straight, 7/8" Female, 5-pole		非屏蔽、固定安装	978021-960-xxxx
	7/8" 插针, 电源预制电缆 Female, flange Straight, 7/8" Male, 5-pole		非屏蔽、固定安装	978031-960xxxx
	7/8" 插针转插孔, 电源双端预制电缆 Female, flange Straight, 7/8" Male - Female, 5-pole		非屏蔽、固定安装	950021-960-xxxx
	M12 插针转 7/8" 插孔, 电源双端预制电缆 Male & Female, flange Straight, T coded-7/8", 4-pole / 5-pole		屏蔽、固定安装 屏蔽、拖链抗扭 非屏蔽、固定安装	943071-902-xxxx 943071-901-xxxx 942071-960-xxxx
	M12 插孔转 7/8" 插针, 电源双端预制电缆 Female & Male, flange Straight, T coded-7/8", 4-pole / 5-pole		屏蔽、固定安装 屏蔽、拖链抗扭 非屏蔽、固定安装	943074-902-xxxx 943074-901-xxxx 942074-960-xxxx
	M12 插针, I/O 接口单端预制电缆 Male, flange Straight, 3-pole, 4-pole, 5-pole ※ 具体电缆规格请来电咨询		3-poel 4-poel 5-poel	912001-xxx-xxxx 912021-xxx-xxxx 912041-xxx-xxxx
	M12 插针转 M12 插孔, I/O 接口双端预制电缆 Female, flange Straight, 3-pole, 4-pole, 5-pole ※ 具体电缆规格请来电咨询		3-poel 4-poel 5-poel	940001-xxx-xxxx 940021-xxx-xxxx 940041-xxx-xxxx

远程 I/O 模块配件