7/8" 圆形连接器(现场总线)ROUND PLUG CONNECTOR

7/8" 双端预铸线束 Connection cable		插针 Male 直出 Straight		插孔 Female 插针 Male 直出 Straight 90°		插孔 Female 90°	
			88			88	
1	型号 Form No.	950120	950020	950021	950150	950050	950051
	极数 Suppression	3-pole	4-pole	5-pole	3-pole	4-pole	5-pole
	电路图 Circuit diagram	2 = 黑BK -c2 3 = 白WH -c3 绿/黄 GN/YE -c1	1 ■ 黒BK	1 ■ 黒BK	2 ■ 黑 BK	1 =	1 = 選BK
	针脚排序 Contact layout	插针 插孔 Male Female	插针 插孔 Male Female	插针 插孔 Male Female	插针 插孔 Male Female	插针 插孔 Male Female	插针 插孔 Male Female
2	电缆类型 Cable type	护套颜色 Jacket color					
	++45.00: 4.5. 2	黄YE 灰GY	黄 YE 灰 GY	黄YE 灰GY	黄YE 灰GY	黄 YE 灰 GY	黄YE 灰GY
	芯线 Wire 1.5mm²	963 967	960 964	961 965	963 967	960 964	961 965
3	电缆长度 Cable length						
	0.3 m	0030					
	0.6 m	0060					
	1.0 m	0100					
	1.5 m 2.0 m	0150 0200					
	订货号 Part No.						
	可参考: 1.0.1 Reference: 1.0.1		- — — — — 型号 Form	_ 	- — — 类型 Cable type		
タンナ Note -				— 电视力	CE Cable type	. 6-3% K/3	c cable longer
备	f注 Notes	1+ 1> 4 #1	pagang pagaga pa		BANCOS AND SOME SERVICE	energies and de	
135			chnical data in chapte 根据实际需要,在订复		页面 Accessories or 8改,电缆长度单位:		